University of Waterloo CS 341 Winter 2025 Written Assignment 1

Armin Jamshidpey, Mark Petrick, Collin Roberts Copyright © 2025 Distribution (except by the authors) is prohibited.

Due Date: Friday, January 24 at 11:59pm to Crowdmark All work submitted must be the student's own.

• Make sure to read the Assignments section on the course webpage for instructions on submission and question expectations ("Instructions for Assignments"): https://student.cs.uwaterloo.ca/~cs341/#Assignments

Question 1 [12 marks] Asymptotic Notation

For each pair of functions f(n) and g(n), fill in the correct asymptotic notation among Θ , o, and ω in the statement $f(n) \in \bigcup (g(n))$. Formal proofs are not necessary, but provide brief justifications for all of your answers. (The default base in logarithms is 2.)

- a) $f(n) = n^3 (\log n)^2$ vs. $g(n) = n^2 (\log n)^3$
- **b)** $f(n) = n^{341} + 2024^n$ vs. $g(n) = n^{240} + 2025^n$
- c) $f(n) = 3^{\log_9 n}$ vs. $g(n) = n^{1/4} + \sqrt{n} + \log n$
- **d)** $f(n) = (\log n)^{\log n}$ vs. $g(n) = n^2$

e)
$$f(n) = \sum_{i=0}^{n} 2^{i}$$
 vs. $g(n) = 3^{n}$;

f) $f(n) = n^3$ vs. $g(n) = (\lceil \frac{n}{2} \rceil - \frac{n}{2})n^3$;

Question 2 [12 marks] Recursion Tree

Solve the following recurrence relations using the recursion tree method. Express your solution in terms of a Θ bound on T(n). Show your work clearly.

- Draw the final tree showing at least 4 levels (including the root and leaves).
- Give a mathematical expression for the sum of work in the recursion tree identifying the work done in the base cases and the recursive cases (leave this as a summation) an induction proof is not required.
- Simplify the expression (show your work) to give a closed form and derive a Θ bound on T(n).

Note: You may use the Master Theorem to verify your result.

a) You may assume that n is a power of 3.

$$T(n) = \begin{cases} 4, & n = 1, \\ 5T(n/3) + n\sqrt{n}, & n > 1. \end{cases}$$

b) You don't have to show all nodes on the third level but show enough that we know what you are doing.

$$T(n) = \begin{cases} 2, & n \le 1, \\ 6T(\frac{3}{7}n) + n^2, & n > 1. \end{cases}$$

Question 3 [10 marks] Divide and Conquer I

- a) Researchers are often ranked by their "*h*-index" which is the maximum integer *h* such that the researcher has at least *h* papers that have been cited at least *h* times. Suppose Professor X has written *n* papers and paper *i* has been cited a_i times and you have the papers sorted with $a_1 > a_2 > \cdots > a_n$. Design a $O(\log n)$ time divide-and-conquer algorithm to find Professor X's *h*-index.
- **b)** Suppose you have two sorted arrays A and B each containing n numbers. Design a divide-and-conquer algorithm to find the median of all the 2n numbers in $O(\log n)$ time.

Question 4 [10 marks] Divide and Conquer II

Suppose you are given a set S of n points in the plane where each point is labelled either "red" or "blue". We want to count the number of pairs (r, b) where r is a red point in S and b is a blue point in S, such that r dominates b. Here, we say that r dominates b if r has larger x-coordinate and larger y-coordinate than b. Design a divide-and-conquer algorithm that divides the points in half using the median x-coordinate and solves this problem in $O(n \log n)$ time. Analyze the runtime of your algorithm.