




Module 12


Tree-Structured data


CS 106 Winter 2018



Trees


Some data is **hierarchical**: we think of each part (“node”) as “owning” or “enclosing” some sub-parts, down to some base level.






Trees


Some data is **hierarchical**: we think of each part (“node”) as “owning” or “enclosing” some sub-parts, down to some base level.






Trees

Some data is **hierarchical**: we think of each part (“node”) as “owning” or “enclosing” some sub-parts, down to some base level.







LIBRARY OF CONGRESS CLASSIFICATION

A GENERAL WORKS

AE Encyclopedias
AY Almanacs

B-BJ PHILOSOPHY

BF Psychology
BL-BX Religion

C HISTORY

CB History of Civilization
CC Archaeology
CT General Biography

D HISTORY

DA-DQ
DK Russian History
DS-DT

E U.S. HISTORY

E186 Colonial History
E456 Civil War
E740 Twentieth Century

F HISTORY OF THE AMERICAS

F1 State Histories
F381 Texas
F1001 Canada
F1201 Mexico. Latin America

G GEOGRAPHY

N FINE ARTS


NA-NB Architecture. Sculpture
NC-NE Drawing, Painting, Prints
NK Crafts

P LANGUAGE AND LITERATURE

PA Classical Language, Literature
PC2001 French Language
PC4001 Spanish Language
PE English Language
PE1128 English as a Second Language
PF German Language
PL Japanese. Korean. Chinese Languages
PN Poetry. Theater. Speech. Journalism
PQ1 French Literature
PQ6001 Spanish Literature
PR British Literature
PS American Literature
PT German Literature
PZ Children's, Young Adult Literature

Q SCIENCE

QA Mathematics
QA76 Computer Science
QB Astronomy
QC Physics
QD Chemistry
QE Geology
QH Natural History




Layers Artboards

Visibility	Layer	Object Name	Object Type	Lock
☑	Layer 1			○
☑		B	<Compound Path>	○
☑		A	<Compound Path>	○
☑			<Path>	○
☑			<Line>	○
☑			<Line>	○
☑			<Ellipse>	○
☑			<Clip Group>	○
☑			<Ellipse>	○
☑			<Polygon>	○
☑			<Path>	○
☑			<Ellipse>	○
☑			<Polygon>	○
☑			<Group>	○
☑			<Path>	○
☑			<Path>	○
☑			<Group>	○
☑			<Path>	○
☑			<Path>	○
☑			<Path>	○


1 Layer

Search Copy Paste Delete


Sometimes, a node behaves like a Processing class: it has a specific slot set aside for each kind of child.




Sometimes, a node behaves like a Processing class: it has a specific slot set aside for each kind of child.



Sometimes, a node holds something more like a sequence of children.



Sometimes, a node holds something more like a sequence of children.



There are two standard ways that tree-structured data is passed around online:

- **XML: eXtended Markup Language**
- **JSON: JavaScript Object Notation**

Both are “simple” text-based formats for more or less arbitrary data.

There are two standard ways that tree-structured data is passed around online:

- **XML: eXtended Markup Language**
- **JSON: JavaScript Object Notation**

Both are “simple” text-based formats for more or less arbitrary data.

Both are available in Processing. We’ll use JSON because it’s nicer to read.

JSON is a small subset of the syntax of Javascript, which can be used to describe a few important data types.

Primitive types:

- **Integers**
- **Floats**
- **Booleans**
- **Strings**

Compound types:

- **Arrays**
- **Trees**

JSON primitive values

Integers: 0, 27, -4...

Floats: 0.003, 3.1415926, -18.77..

Booleans: true, false

Strings: "hello", "pancakes!!"...

null

JSON arrays

A JSON Array is a comma-separated list of values, enclosed in square brackets

```
[ ]
```

```
[1, 2, 3]
```

```
[1, true, "hello"]
```

```
[-3.14, "kumquat", [true, false]]
```

Unlike Processing, the elements do not need to be of one type!

JSON objects

A JSON Object is a comma-separated list of key:value pairs, enclosed in curly braces. It behaves like a dictionary! It maps string keys to arbitrary values.

```
{ }
```

```
{ "name": "Craig",  
  "extension": 34589 }
```

```
{ "digits": [1,2,3], "good": true,  
  "remark": "best digits ever" }
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

Getting JSON Objects

```
JSONObject stuff = loadJSONObject( "filename.json" );
```

Read the contents of the file into a JSONObject.

Also loadJSONArray(), parseJSONObject(),
parseJSONArray().

Working with JSONArray

```
JSONArray arr = ...
```

```
int num_entries = arr.size();
```

```
... arr.getInt( 0 ) ...  
... arr.getFloat( 12 ) ...  
... arr.getBoolean( idx ) ...  
... arr.getString( jdx ) ...
```

```
... arr.getJSONObject( 5 ) ...  
... arr.getJSONArray( num_entries - 1 ) ...
```



Working with JSONObject

```
JSONObject obj = ...
```

```
... obj.getInt( "key" ) ...  
... obj.getFloat( "fieldname" ) ...  
... obj.getBoolean( "phone" ) ...  
... obj.getString( "address" ) ...  
... obj.getJSONObject( "whatever" ) ...  
... obj.getJSONArray( "etc." ) ...
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

obj


```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
obj.getString( "firstName" );
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
obj.getInt( "age" );
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
obj.getJSONArray( "phoneNumbers" )
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
obj.getJSONArray( "phoneNumbers" ).getJSONObject( 1 )
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 35,
  "address": {
    "streetAddress": "51 Strange Street",
    "city": "Kitchener",
    "province": "ON",
    "postalCode": "N3K 1E7"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "519 555-1234"
    },
    {
      "type": "mobile",
      "number": "226 555-4567"
    }
  ],
  "children": ["Eunice", "Murgatroyd"],
  "spouse": null
}
```

```
obj.getJSONArray( "phoneNumbers" ).getJSONObject( 1 ).getString( "number" );
```



Example: RSS Feeds

Radiolab

A **podcast** powered by FeedBurner

A podcast is rich media, such as audio or video, distributed via RSS. Feeds like this one provide updates whenever there is new content. FeedBurner makes it easy to receive content updates in popular podcatchers.

[Learn more about syndication and FeedBurner...](#)

Subscribe Now!

...with web-based podcatchers. Click your choice below:



...with iTunes:

[Add to iTunes](#)

...with something else (copy this address):

Get more info on other podcatchers:



[View Feed XML](#)

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" media="screen" href="/~d/styles/rss2enclosuresfull.
<?xml-stylesheet type="text/css" media="screen" href="http://feeds.wnyc.org/~d/style
<rss xmlns:atom="http://www.w3.org/2005/Atom" xmlns:itunes="http://www.itunes.com/dt
```

```
<channel>
```

```
<title>Radiolab</title>
```

```
<link>http://www.radiolab.org/series/podcasts/</link>
```

```
<description>Radiolab is a show about curiosity. Where sound illuminates ide
```

Radiolab is heard around the country on more than 500 member stations. Check your lo

Embed the Radiolab widget on your blog or website.

Radiolab is supported, in part, by the Alfred P. Sloan Foundation, enhancing public

All press inquiries may be directed to Jennifer Houlihan Rousset at (646) 829-4497.<

```
<language>en-us</language>
```

```
<lastBuildDate>Fri, 24 Mar 2017 01:00:00 -0400</lastBuildDate>
```

```
<ttl>600</ttl>
```

```
<itunes:explicit>no</itunes:explicit>
```

```
<atom10:link xmlns:atom10="http://www.w3.org/2005/Atom" rel="self" type="app
```

```
<feedburner:info xmlns:feedburner="http://rssnamespace.org/feedburner/ext/1.
```

```
<atom10:link xmlns:atom10="http://www.w3.org/2005/Atom" rel="hub" href="http
```

```
<media:copyright>© WNYC</media:copyright>
```

```
<media:thumbnail url="https://media2.wnyc.org/i/1400/1400/1/80/1/Radiolab-wr
```

```
<media:keywords>Science,Technology,Philosophy,Education,radiolab,jad,abumrac
```

```
<media:category scheme="http://www.itunes.com/dtds/podcast-1.0.dtd">Science
```

```
<media:category scheme="http://www.itunes.com/dtds/podcast-1.0.dtd">Society
```

```
<media:category scheme="http://www.itunes.com/dtds/podcast-1.0.dtd">Educatic
```

```
<itunes:author>WNYC Studios</itunes:author>
```

```
<itunes:image href="https://media2.wnyc.org/i/1400/1400/1/80/1/Radiolab-wnyc
```

```
<itunes:keywords>Science,Technology,Philosophy,Education,radiolab,jad,abumra
```


An RSS feed is an XML document. We *could* parse it directly in Processing, but we'll make life simpler by converting it to JSON first.

See rss2json.com.

```
{
  "status": "ok"
  "feed": {
    "url": "http://feeds.wnyc.org/radiolab?format=xml"
    "title": "Radiolab"
    "link": "http://www.radiolab.org/series/podcasts/"
    "author": "WNYC Studios"
    "description": "Radiolab is a show about curiosity. Where sound illuminates ideas. More than 500 member stations. Check your local station for airtimes. Embed the Radiolab understanding of science and technology in the modern world. More information on our website."
    "image": "https://media2.wnyc.org/i/1400/1400/1/80/1/Radiolab-wnycstudios.jpg"
  }
  "items": [
    {
      "title": "Shots Fired: Part 2"
      "pubDate": "2017-03-24 05:00:00"
      "link": "http://www.radiolab.org/story/shots-fired-part-2/"
      "guid": "http://www.radiolab.org/story/shots-fired-part-2/"
      "author": "WNYC Studios"
      "thumbnail": "https://media2.wnyc.org/i/130/130/c/80/1/3957814193_6fd835e70c1e40118000000000000000.jpg"
      "description": "We again join Ben Montgomery, reporter at the Tampa Bay Times, as he covers the aftermath of the Pulse nightclub shooting in Orlando, Florida."
      "content": "We again join Ben Montgomery, reporter at the Tampa Bay Times, as he covers the aftermath of the Pulse nightclub shooting in Orlando, Florida."
      "enclosure": {
        "link": "https://www.podtrac.com/pts/redirect.mp3/audio.wnyc.org/r1_ext_1766.mp3"
        "type": "audio/mpeg"
        "duration": 1766
        "thumbnail": "https://media2.wnyc.org/i/130/130/c/80/1/3957814193_6fd835e70c1e40118000000000000000.jpg"
        "rating": {
          "scheme": "urn:itunes"
        }
      }
    }
  ]
}
```

```

{
  "status": "ok"
  "feed": {
    "url": "http://feeds.wnyc.org/radiolab?format=xml"
    "title": "Radiolab"
    "link": "http://www.radiolab.org/series/podcasts/"
    "author": "WNYC Studios"
    "description": "Radiolab is a show about curiosity. Where sound illuminates ideas. More than 500 member stations. Check your local station for airtimes. Embed the Radiolab understanding of science and technology in the modern world. More information"
    "image": "https://media2.wnyc.org/i/1400/1400/1/80/1/Radiolab-wnycstudios.jpg"
  }
  "items": [
    {
      "title": "Shots Fired: Part 2"
      "pubDate": "2017-03-24 05:00:00"
      "link": "http://www.radiolab.org/story/shots-fired-part-2/"
      "guid": "http://www.radiolab.org/story/shots-fired-part-2/"
      "author": "WNYC Studios"
      "thumbnail": "https://media2.wnyc.org/i/130/130/c/80/1/3957814193_6fd835e70"
      "description": "We again join Ben Montgomery, reporter at the Tampa Bay Times"
      "content": "We again join Ben Montgomery, reporter at the Tampa Bay Times,"
      "enclosure": {
        "link": "https://www.podtrac.com/pts/redirect.mp3/audio.wnyc.org/r1_ext"
        "type": "audio/mpeg"
        "duration": 1766
        "thumbnail": "https://media2.wnyc.org/i/130/130/c/80/1/3957814193_6fd835"
        "rating": {
          "scheme": "urn:itunes"
        }
      }
    }
  ]
}


```

```
JSONObject obj = ...;
```

```
String first_title =
```

```
obj.getJSONArray( "items" )
  .getJSONObject( 0 )
  .getString( "title" );
```


Example: counting files



The screenshot shows a macOS Finder window titled "Lectures". The window displays a list of files and folders in a table view. The table has columns for "Name", "Date Modified", and "Size". The files are organized into folders, with some folders expanded to show their contents. The "Favorites" sidebar on the left includes "All My Files", "iCloud Drive", "Desktop", "Applications", "csk", "Pictures", "Reading", "Google Drive", "85207062.pdf", "Creative Cloud Files", and "W17". The "Devices" section shows "Sobchak". The status bar at the bottom indicates "31 items, 133.72 GB available".

Name	Date Modified	Size
02 Arrays Strings	Today, 10:32 PM	--
RainbowText	Jan 19, 2017, 2:56 PM	--
RainbowText.pde	Jan 19, 2017, 2:56 PM	490 bytes
RandomFont	Jan 19, 2017, 2:53 PM	--
RandomFont.pde	Jan 19, 2017, 2:53 PM	1 KB
TwoFonts	Jan 19, 2017, 2:49 PM	--
TwoFonts.pde	Jan 19, 2017, 2:49 PM	788 bytes
02 Arrays Strings.zip	Jan 19, 2017, 2:57 PM	3 KB
03 Input Output	Feb 5, 2017, 1:11 PM	--
03 Input Output.zip	Jan 19, 2017, 9:28 PM	739 KB
04 Advanced Shapes	Feb 5, 2017, 1:11 PM	--
04 Advanced Shapes.zip	Jan 25, 2017, 10:24 AM	73 KB
05 User Interfaces	Feb 5, 2017, 1:11 PM	--
05 User Interfaces.zip	Feb 5, 2017, 1:12 PM	70 KB
06 Geometric Context	Feb 12, 2017, 5:19 PM	--
06 Geometric Context.zip	Feb 9, 2017, 6:06 PM	215 KB
07 Recursion	Feb 20, 2017, 10:28 PM	--

31 items, 133.72 GB available



```
{
  "type": "directory",
  "name": ".",
  "children": [
    {
      "type": "file",
      "name": ".DS_Store"
    },
    {
      "type": "directory",
      "name": "02 Arrays Strings",
      "children": [
        {
          "type": "directory",
          "name": "RainbowText",
          "children": [
            {
              "type": "file",
              "name": "RainbowText.pde"
            }
          ]
        }
      ]
    },
    {
      "type": "directory",
      "name": "RandomFont",
      "children": [
        {
          "type": "file",
```



Going live

All load functions accept URLs as parameters in addition to file names!

```
loadStrings()  
loadImage()  
loadShape()  
loadTable()  
loadJSONObject()  
loadJSONArray()
```


Functions like `loadStrings()` and `loadImage()` allow you to access fixed content over the internet. `loadJSONObject()` is more like *calling a function over the web*.

OPEN DATA API

[Open Data API home](#)[Register for an API key](#)[Contact us](#)

Welcome to Open Data API

Hello and Heads up! (September 18th, 2017)

Hello!

I wanted to let you know that effective immediately the Open Data API project at Waterloo is under a new team. We're looking forward to understanding what exists now, getting feedback from current users, and having a clear plan to communicate before moving forward. We'd like to continue to build on the great work done by those before us that made this project possible.

api.uwaterloo.ca

In the immediate future we will be updating the system and fix only critical issues without introducing new features. Part of the motivation for

Example: classrooms

The UW API supports requests like “what courses are scheduled in a given classroom?”

```
GET /buildings/{building}/{room}/courses.{format}
```

Example: classrooms

The UW API supports requests like “what courses are scheduled in a given classroom?”

```
GET /buildings/{building}/{room}/courses.{format}
```

```
https://api.uwaterloo.ca/v2/buildings/STC/0040/courses.json
```

Example: classrooms

The UW API supports requests like “what courses are scheduled in a given classroom?”

```
GET /buildings/{building}/{room}/courses.{format}
```

Server

“arguments”

https://	api.uwaterloo.ca/v2/	buildings/STC/0040/	courses.json
----------	----------------------	---------------------	--------------

Protocol

“function name”

Most online APIs require you to register for a key.




The Google APIs

Google offers dozens of APIs for web designers and developers.

Some are specifically related to popular Google products, like Gmail and Analytics, while others are more specialized and aren't part of public programs.


All are free to use, of course. You can view all of Google's APIs and code tools on their [site directory](#).



- [Feed API](#) – The Google Feed API lets you download any public feed (including RSS, Media RSS, and Atom) and then combine them into mashups. It simplifies the mashup process by using JavaScript rather than more complex server-side coding.
- [Places API](#) – Google Places is a large directory of local businesses and attractions all

www.webdesignerdepot.com/2011/07/40-useful-apis-for-web-designers-and-developers/

website, as well as display check-ins by users



- [Feed API](#) – The Google Feed API lets you download any public feed (including RSS, Media RSS, and Atom) and then combine them into mashups. It simplifies the mashup process by using JavaScript rather than more complex server-side coding.
- [Places API](#) – Google Places is a large directory of local businesses and attractions all around the world. The Places API lets you access that information and display it on your website, as well as display check-ins by users.
- [Geocoding API](#) – The Geocoding API lets you convert any address into geographic coordinates, which can then be used to place markers on a map.
- [Tasks API](#) – The Tasks API offers endpoints for reading, searching, and updating Google Tasks content and metadata.
- [Analytics Management API](#) – The Analytics Management API gives improved access to your Analytics data, and lets you fine-tune your requests to just pull the information and reports you need for your application.
- [Blogger Data API](#) – The Blogger Data API lets your application create and post new blog posts, edit or delete existing posts, and search for posts based on specific criteria.